

KE-GU3KTL3/GU5KTL3/GU6KTL3



1		3
2		3
3		4
3.1		4
3.2		4
3.3		5
3.4		7
3.5		8
4		12
4.1		12
4.2		12
5		12
5.1		12
6		12



1

	-		
			6
			5

2



4		8	
	1		1


3.1

3.2.2

DC

3.2.3

3.1



3.1

3.3


3.3.1

95%



3.2


300mm





3.2

3.3.2

3.2



		
---	--	--

3.2

3.4

1


2

3

8mm

60mm


3.3



3.3

3

3.4



3.4

4

3.5


5 M4

3.5

3.5.1

5
3.5
3.5.1





3.6

3.5.2

3.3

	mm ²			
	KE-GU3KTL3	KE-GU5KTL3	KE-GU6KTL3	
DC+	2.5	4	4	
DC-	2.5	4	4	
L	2.5	4	4	1
N	2.5	4	4	1
PE	2.5	4	4	1
	0.3	0.3	0.3	2

3.3

3.5.3

1

180~276V

47~52 Hz

AC

L, N PE

2

PE


10

3

4

3.7

10mm




3.7

3.8



L N PE

3.8




3.8

3.5.4

MC4

3.3

3.9



PV+

PV-

3.9

3.10

7mm



3.10


3.11

3.11



3.11

3.12



3.12

3.13

2.6~2.9 N · m



3.13

3.6

3.5.5

RS485

RS485

A B

RS485

120Ω

GPRS

GPRS

APP


3.5.6

N

f

%





4

4.1

DC

DC

AC

DC AC

AC

4.2

AC







3

1



9

GPRS

485 WIFI

“ ” “ ” → “ ”

APP



“ / ”





“ ” “ / ”

“ ” “ ”




“ ” → “ ”



“ ” “ ”

“ ”





http://www.solarke.com/SolarKE_Monitor



用户登录

[返回首页](#) |



登录 login

管理员 代理商 运维人员 业主

ke

•••••

☒ 记住我

登录

Copyright © 2015 SolarKE All rights reserved.
石家庄科林电气股份有限公司





10

5